EC 97911-281 FEATURES

Features

- FG 623 is an inside glazed system
- 2-1/4" (57.2) sightline with standard 6" (152.4) system depth
- Optional IsoLock® lanced pour and debridged thermal break
- · Screw spline and shear block fabrication and joinery
- Infill options of 1/4" (6.4) and 1" (25.4)
- Silicone compatible glazing materials for long lasting seals
- Corner members are available for 90° and 135° applications
- Incorporates expansion verticals as required
- FG 623 has been large missile impact and cycle tested
- FG 623 is for stock length sales
- Permanodic® anodized finishes option
- · Painted finishes in standard and custom choices

Optional Features

· Integrates with standard Kawneer windows

Product Applications

- Ribbon windows
- Ideal for single and multi-lite punched openings

For specific product applications, consult your Kawneer representative.



BLANK PAGE

EC 97911-281

Laws and building and safety codes governing the design and use of Kawneer products, very ducts a gazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.
© 2013, Kawneer Company, Inc.



INDEX

Architects - Most extrusion and window types illustrated in this catalog are standard products for Kawneer. These concepts have been expanded and modified to afford you design freedom. Some miscellaneous details are non-standard and are intended to demonstrate how the system can be modified to expand design flexibility. Please contact your Kawneer representative for further assistance.

PICTORIAL VIEW	4
NON-THERMAL FRAMING DETAILS	5
THERMAL FRAMING DETAILS	6
CORNER DETAILS	7
WIND LOAD/DEADLOAD CHARTS	8-12
THERMAL CHARTS	13-20

Metric (SI) conversion figures are included throughout these details for reference. Numbers in parentheses) are millimeters unless otherwise noted.

The following metric (SI) units are found in these details:

m - meter

cm - centimeter

mm - millimeter

s - second


Pa - pascal

MPa - megapascal







Additional information and CAD details are available at www.kawneer.com



ELEVATION IS NUMBER KEYED TO DETAILS




Additional information and CAD details are available at www.kawneer.com





ELEVATION IS NUMBER KEYED TO DETAILS

1" SYSTEM (THERMAL)











4 JAMB



5 MULLION



5A EXPANSION MULLION

© 2013, Kawneer Company, Inc.

Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

1" SYSTEM

(THERMAL SIMILAR)

CORNER DETAILS


623131

Additional information and CAD details are available at www.kawneer.com

1/4" SYSTEM


623171


90° OUTSIDE CORNER



623183


90° INSIDE CORNER






623187

135° OUTSIDE CORNER



135° INSIDE CORNER





WIND LOAD CHARTS

Mullions are designed for deflection limitations in accordance with AAMA TIR-A11 of L/175 up to 13' 6" and L/240 +1/4" above 13' 6". These curves are for mullions WITH HORIZONTALS and are based on engineering calculations for stress and deflection. Allowable wind load stress for ALUMINUM 15,152 psi (104 MPa), STEEL 30,000 psi (207 MPa). Charted curves, in all cases are for the limiting value. Wind load charts contained herein are based upon nominal wind load utilized in allowable stress design. A conversion from Load Resistance Factor Design (LRFD) is provided. To convert ultimate wind loads to nominal loads, multiply ultimate wind loads by a factor of 0.6 per ASCE/SEI 7. A 4/3 increase in allowable stress has not been used to develop these curves. For special situations not covered by these curves, contact your Kawneer representative for additional information.

DEAD LOAD CHARTS

Horizontal or deadload limitations are based upon 1/8" (3.2), maximum allowable deflection at the center of an intermediate horizontal member. The accompanying charts are calculated for 1" (25.4) thick insulating glass or 1/4" (6.4) thick glass supported on two setting blocks placed at the loading points shown.

Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials,

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.

2013, Kawneer Company,




3

2


2 3 4 5 6

EC 97911-281 WIND LOAD CHARTS

WITH HORIZONTALS




	Allowable Stress	LRFD Ultimate	
	Design Load	Design Load	
A =	20 PSF (960)	33 PSF (1580)	
B =	30 PSF (1440)	50 PSF (2400)	
C =	40 PSF (1920)	67 PSF (3200)	
D =	50 PSF (2400)	83 PSF (4000)	
E =	60 PSF (2880)	100 PSF (4790)	



I = 9.058 (377.02 x 10⁴) S = 2.849 (46.69 x 10³)


WITHOUT HORIZONTALS




WITH HORIZONTALS

MULLION CENTERS IN FEET


- 0.5






I = 8.537 (355.34 x 10⁴) S = 2.775 (45.47 x 10³)

WITHOUT HORIZONTALS






WITH HORIZONTALS




	Allowable Stress	LRFD Ultimate	
	Design Load	Design Load	
A =	20 PSF (960)	33 PSF (1580)	
B =	30 PSF (1440)	50 PSF (2400)	
C =	40 PSF (1920)	67 PSF (3200)	
D =	50 PSF (2400)	83 PSF (4000)	
E =	60 PSF (2880)	100 PSF (4790)	





WIND LOAD CHARTS ARE BASED ON COMPOSITE PROPERTIES WHICH ARE CALCULATED IN ACCORDANCE WITH AAMA TIR-A8 AND AAMA 505

WITHOUT HORIZONTALS



WITH HORIZONTALS





623024 / 623025

I = 10.292 (428.38 x 10⁴) S = 3.146 (51.55 x 10³) © 2013, Kawneer Company,


such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.




EC 97911-281 WIND LOAD CHARTS

WITH HORIZONTALS

MULLION CENTERS IN METERS



	Allowable Stress	ole Stress LRFD Ultimate	
	Design Load	Design Load	
A =	20 PSF (960)	33 PSF (1580)	
B =	30 PSF (1440)	50 PSF (2400)	
C =	40 PSF (1920)	67 PSF (3200)	
D =	50 PSF (2400)	83 PSF (4000)	
E=	60 PSF (2880)	100 PSF (4790)	





623064 / 623065

I = 10.537 (438.58 x 10⁴) $S = 3.195 (52.36 \times 10^3)$

WITH HORIZONTALS

MULLION CENTERS IN METERS





623224 / 623225

WIND LOAD CHARTS ARE BASED ON COMPOSITE PROPERTIES WHICH ARE CALCULATED IN ACCORDANCE WITH AAMA TIR-A8 AND AAMA 505




DEAD LOAD CHARTS


EC 97911-281








A = 1/4 POINT LOADING B = 1/8 POINT LOADING






Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.



© 2013, Kawneer Company, Inc.

THERMAL CHARTS EC 97911-281

Project Specific U-Factor Example Calculation



Example Glass U-Factor = 0.42 Btu/hr x ft² x °F

Total Daylight Opening $= 3(5' \times 7') + 3(5' \times 2') = 135 \text{ ft}^2$


Total Projected Area = (Total Daylight Opening + Total Area of Framing System)

= 15' 8" x 9' 6" = 148.83 ft²

Percent of Glass = (Total Daylight Opening ÷ Total Projected Area)

 $= (135 \div 148.83)100 = 91\%$

System U-Factor vs Percent of Glass Area



Based on 91% glass and center of glass U-Factor of 0.42 System U-Factor is equal to 0.49 Btu/hr x ft2 x °F




THERMAL CHARTS

FG 623 Window Wall 1" Double Glazed - Warm-Edge Glazing Spacer

Note:

Values in parentheses are metric. COG = Center of Glass. Charts are generated per AAMA 507

System U-Factor vs Percent of Glass Area



Vision Area / Total Area (%)

Notes for System U-factor, SHGC and VT charts:

For glass values that are not listed, linear interpolation is permitted.

Glass properties are based on center of glass values and are obtained from your glass supplier.



Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.

© 2013, Kawneer Company, Inc.


THERMAL CHARTS

FG 623 Window Wall

© 2013, Kawneer Company, Inc.


FG 623 Window Wall 1" Double Glazed - Warm-Edge Glazing Spacer

System Solar Heat Gain Coefficient (SHGC) vs Percent of Vision Area



Charts are generated per AAMA 507

System Visible Transmittance (VT) vs Percent of Vision Area





ADMD170EN kawneer.com

Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

THERMAL PERFORMANCE MATRIX (NFRC SIZE)

Thermal Transmittance ¹ (BTU/hr • ft ² • °F)

Thermal Hallstilleanee (B16/III It 1		
Glass U-Factor ³	Overall U-Factor 4	
0.48	0.55	
0.46	0.53	
0.44	0.51	
0.42	0.49	
0.40	0.48	
0.38	0.46	
0.36	0.45	
0.34	0.43	
0.32	0.41	
0.30	0.40	
0.28	0.38	
0.26	0.36	
0.24	0.35	
0.22	0.33	
0.20	0.31	
0.18	0.30	
0.16	0.28	
0.14	0.26	
0.12	0.25	
0.10	0.23	

FG 623 Window Wall (1" Double Glazed) Warm-Edge Glazing Spacer

NOTE: For glass values that are not listed, linear interpolation is permitted.

- 1. U-Factors are determined in accordance with NFRC 100.
- 2. SHGC and VT values are determined in accordance with NFRC 200.
- 3. Glass properties are based on center of glass values and are obtained from your glass supplier.
- 4. Overall U-Factor, SHGC, and VT Matricies are based on the standard NFRC specimen size of 2,000 mm wide by 2,000 mm high (78-3/4" by 78-3/4").

SHGC Matrix 2

SHGC Watrix -			
Glass SHGC ³	Overall SHGC 4		
0.75	0.67		
0.70	0.63		
0.65	0.59		
0.60	0.54		
0.55	0.50		
0.50	0.45		
0.45	0.41		
0.40	0.37		
0.35	0.32		
0.30	0.28		
0.25	0.23		
0.20	0.19		
0.15	0.15		
0.10	0.10		
0.05	0.06		

Visible Transmittance ²

Glass VT ³	Overall VT 4
0.75	0.66
0.70	0.62
0.65	0.57
0.60	0.53
0.55	0.48
0.50	0.44
0.45	0.40
0.40	0.35
0.35	0.31
0.30	0.26
0.25	0.22
0.20	0.18
0.15	0.13
0.10	0.09
0.05	0.04



ADMD170EN

EC 97911-281 THERMAL CHARTS


THERMAL CHARTS

FG 623 Window Wall 1" Double Glazed - Aluminum Glazing Spacer

Note:

Values in parentheses are metric. COG = Center of Glass. Charts are generated per AAMA 507

System U-Factor vs Percent of Glass Area



Vision Area / Total Area (%)

Notes for System U-factor, SHGC and VT charts:

For glass values that are not listed, linear interpolation is permitted. Glass properties are based on center of glass values and are obtained from your glass supplier.



System U-Factor (Btu/h·ft²·°F)


System SHGC

THERMAL CHARTS

EC 97911-281

FG 623 Window Wall 1" Double Glazed - Aluminum Glazing Spacer


System Solar Heat Gain Coefficient (SHGC) vs Percent of Vision Area



Vision Area / Total Area (%)

Charts are generated per AAMA 507

System Visible Transmittance (VT) vs Percent of Vision Area



Vision Area / Total Area (%)



© 2013, Kawneer Company, Inc.

Thermal Transmittance 1 (BTU/hr • ft 2 • °F)

Glass U-Factor ³	Overall U-Factor 4	
0.48	0.57	
0.46	0.55	
0.44	0.54	
0.42	0.52	
0.40	0.50	
0.38	0.49	
0.36	0.47	
0.34	0.46	
0.32	0.44	
0.30	0.42	
0.28	0.41	
0.26	0.39	
0.24	0.38	
0.22	0.36	
0.20	0.34	
0.18	0.32	
0.16	0.31	
0.14	0.29	
0.12	0.27	
0.10	0.26	

FG 623 Window Wall (1" Double Glazed) **Aluminum Glazing Spacer**

FG 623 Window Wall

NOTE: For glass values that are not listed, linear interpolation is permitted.

- 1. U-Factors are determined in accordance with NFRC 100.
- 2. SHGC and VT values are determined in accordance with NFRC 200.
- 3. Glass properties are based on center of glass values and are obtained from your glass supplier.
- 4. Overall U-Factor, SHGC, and VT Matricies are based on the standard NFRC specimen size of 2,000 mm wide by 2,000 mm high (78-3/4" by 78-3/4").

SHGC Matrix ²

Glass SHGC ³	Overall SHGC ⁴	
0.75	0.68	
0.70	0.63	
0.65	0.59	
0.60	0.54	
0.55	0.50	
0.50	0.46	
0.45	0.41	
0.40	0.37	
0.35	0.32	
0.30	0.28	
0.25	0.24	
0.20	0.19	
0.15	0.15	
0.10	0.10	
0.05	0.06	

Visible Transmittance ²

Glass VT ³	Overall VT 4
0.75	0.66
0.70	0.62
0.65	0.57
0.60	0.53
0.55	0.48
0.50	0.44
0.45	0.40
0.40	0.35
0.35	0.31
0.30	0.26
0.25	0.22
0.20	0.18
0.15	0.13
0.10	0.09
0.05	0.04



THERMAL CHARTS

EC 97911-281

CONDENSATION RESISTANCE

Glazing Infill	Condensation Resistance Factor (CRF) AAMA 1503		Temperature Index (TI) CSA A440-0	
_	Frame	Glass	Frame	Glass
1" Double	70	59	60	52

