



① PRESENTATION 1



② PRESENTATION 2

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555




① BASIC WALL EXAMPLE
1 1/2" x 1'-0"




② SECTION
1 1/2" x 1'-0"




③ SGT 60° OUTSIDE CORNER
1 1/2" x 1'-0"



④ SGT 90° INSIDE CORNER
1 1/2" x 1'-0"



⑤ SGT 120° OUTSIDE CORNER
1 1/2" x 1'-0"




⑥ SGT 135° INSIDE CORNER
1 1/2" x 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555

Kawneer


2500 UT SGT UNITWALL® SYSTEM 6-1/2" Deep / 7-1/2" Deep Captured (1" infill) - Typical 4-Side SGT Details




① SGT HEAD - 1" INFILL
6" = 1'-0"




② SGT HORIZONTAL - 1" INFILL
6" = 1'-0"




③ SGT EXPANSION HORIZONTAL - 1" INFILL
6" = 1'-0"




④ SGT SILL - 1" INFILL
6" = 1'-0"




⑤ SGT JAMB - 1" INFILL
6" = 1'-0"




⑥ SGT VERTICAL MULLION - 1" INFILL
6" = 1'-0"




⑦ SGT JAMB - 1" INFILL
6" = 1'-0"




⑧ SGT 90° OUTSIDE CORNER - 1" INFILL
6" = 1'-0"



⑨ SGT 90° INSIDE CORNER - 1" INFILL
6" = 1'-0"



⑩ SGT 135° OUTSIDE CORNER - 1" INFILL
6" = 1'-0"




⑪ SGT 135° INSIDE CORNER - 1" INFILL
6" = 1'-0"


KAWNEER AN ARCONIC COMPANY

555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555







① HEAD - 1" INFILL
6" = 1'-0"




② HORIZONTAL - 1" INFILL
6" = 1'-0"




③ EXPANSION HORIZONTAL - 1" INFILL
6" = 1'-0"




④ SILL - 1" INFILL
6" = 1'-0"




⑤ JAMB - 1" INFILL
6" = 1'-0"




⑥ VERTICAL MULLION - 1" INFILL
6" = 1'-0"




⑦ JAMB - 1" INFILL
6" = 1'-0"




⑧ 90° OUTSIDE CORNER - 1" INFILL
6" = 1'-0"




⑨ 90° INSIDE CORNER - 1" INFILL
6" = 1'-0"




⑩ 135° OUTSIDE CORNER - 1" INFILL
6" = 1'-0"




⑪ 135° INSIDE CORNER - 1" INFILL
6" = 1'-0"




① SGT HEAD - 1" INFILL
6" x 1'-0"




② HORIZONTAL - 1" INFILL
6" x 1'-0"




③ EXPANSION HORIZONTAL - 1" INFILL
6" x 1'-0"




④ SILL - 1" INFILL
6" x 1'-0"




⑤ SGT JAMB - 1" INFILL
6" x 1'-0"




⑥ SGT VERTICAL MULLION - 1" INFILL
6" x 1'-0"




⑦ SGT JAMB - 1" INFILL
6" x 1'-0"




⑧ 90° OUTSIDE CORNER - 1" INFILL
6" x 1'-0"



⑨ 90° INSIDE CORNER - 1" INFILL
6" x 1'-0"




⑩ 135° OUTSIDE CORNER - 1" INFILL
6" x 1'-0"




⑪ 135° INSIDE CORNER - 1" INFILL
6" x 1'-0"

Kawneer


2500 UT SGT UNITWALL® SYSTEM 6-1/2" Deep / 7-1/2" Deep Captured (1" infill) -GLASSvent® UT Window Details (4-side Captured Only) Steel Reinforcing and Anchor Details




① HEAD PO- 1" INFILL
6" = 1"




② HEAD COS- 1" INFILL
6" = 1"




③ SILL- 1" INFILL
6" = 1"




④ LEFT JAMB PO- 1" INFILL
6" = 1"



⑤ RIGHT JAMB PO- 1" INFILL
6" = 1"



⑥ LEFT JAMB COS- 1" INFILL
6" = 1"




⑦ RIGHT JAMB COS- 1" INFILL
6" = 1"


KAWNEER AN ARCONIC COMPANY

555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555


KAWNEER
AN ARCONIC COMPANY




① SGT HEAD - 1-3/4" INFILL
Ø = 1'-0"




② SGT HORIZONTAL - 1-3/4" INFILL
Ø = 1'-0"




SGT EXPANSION HORIZONTAL - 1-3/4" INFILL
Ø = 1'-0"




④ SGT SLL - 1-3/4" INFILL
Ø = 1'-0"




⑤ SGT JAMB - 1-3/4" INFILL
Ø = 1'-0"




⑥ SGT VERTICAL MULLION - 1-3/4" INFILL
Ø = 1'-0"




⑦ SGT JAMB - 1-3/4" INFILL
Ø = 1'-0"




⑧ SGT 90° OUTSIDE CORNER - 1-3/4" INFILL
Ø = 1'-0"



⑨ SGT 90° INSIDE CORNER - 1-3/4" INFILL
Ø = 1'-0"




⑩ SGT 135° OUTSIDE CORNER - 1-3/4" INFILL
Ø = 1'-0"




⑪ SGT 135° INSIDE CORNER - 1-3/4" INFILL
Ø = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555




① HEAD - 1-3/4" INFILL
6" = 1'-0"




② HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




③ EXPANSION HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




④ SILL - 1-3/4" INFILL
6" = 1'-0"




⑤ JAMB - 1-3/4" INFILL
6" = 1'-0"




⑥ VERTICAL MULLION - 1-3/4" INFILL
6" = 1'-0"




⑦ JAMB - 1-3/4" INFILL
6" = 1'-0"




⑧ 90° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑨ 90° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑩ 135° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑪ 135° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




① HEAD - 1-3/4" INFILL
6" = 1'-0"




② HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




③ EXPANSION HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




④ SILL - 1-3/4" INFILL
6" = 1'-0"




⑤ SGT JAMB - 1-3/4" INFILL
6" = 1'-0"




⑥ SGT VERTICAL MULLION - 1-3/4" INFILL
6" = 1'-0"




⑦ SGT JAMB - 1-3/4" INFILL
6" = 1'-0"




⑧ 90° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"



⑨ SGT 90° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑩ 135° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑪ 135° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"


2500 UT UNITWALL® SYSTEM 6-1/2" Deep SSG / 7-1/2" Deep Captured (1-3/4" infill) - GLASSvent® UT Window Details (4-side Captured Only) Steel Reinforcing and Anchor Details




① HEAD PO. - 1-3/4" INFILL
6" = 1'-0"




② HEAD COS. - 1-3/4" INFILL
6" = 1'-0"




③ SILL POS. COS. - 1-3/4" INFILL
6" = 1'-0"




④ LEFT JAMB PO. - 1-3/4" INFILL
6" = 1'-0"




⑤ RIGHT JAMB PO. - 1-3/4" INFILL
6" = 1'-0"




⑥ LEFT JAMB COS. - 1-3/4" INFILL
6" = 1'-0"




⑦ RIGHT JAMB COS. - 1-3/4" INFILL
6" = 1'-0"




① SGT HEAD - 1-3/4" INFILL
6" = 1'-0"




② SGT HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




③ SGT EXPANSION HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




④ SILL - 1-3/4" INFILL
6" = 1'-0"




⑤ SGT JAMB - 1-3/4" INFILL
6" = 1'-0"




⑥ SGT VERTICAL MULLION - 1-3/4" INFILL
6" = 1'-0"




⑦ SGT JAMB - 1-3/4" INFILL
6" = 1'-0"




⑧ SGT 90° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑨ SGT 90° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑩ SGT 135° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑪ SGT 135° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




① HEAD - 1-3/4" INFILL
6" = 1'-0"




② HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




③ EXPANSION HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




④ SILL - 1-3/4" INFILL
6" = 1'-0"




⑤ JAMB - 1-3/4" INFILL
6" = 1'-0"




⑥ VERTICAL MULLION - 1-3/4" INFILL
6" = 1'-0"




⑦ JAMB - 1-3/4" INFILL
6" = 1'-0"




⑧ 90° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑨ 90° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑩ 135° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑪ 135° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




① SGT HEAD - 1-3/4" INFILL
6" = 1'-0"




② HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




③ EXPANSION HORIZONTAL - 1-3/4" INFILL
6" = 1'-0"




④ SILL - 1-3/4" INFILL
6" = 1'-0"




⑤ SGT JAMB - 1-3/4" INFILL
6" = 1'-0"




⑥ SGT VERTICAL MULLION - 1-3/4" INFILL
6" = 1'-0"




⑦ SGT JAMB - 1-3/4" INFILL
6" = 1'-0"




⑧ 90° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"



⑨ 90° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑩ 135° OUTSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"




⑪ 135° INSIDE CORNER - 1-3/4" INFILL
6" = 1'-0"

Kawneer


2500 UT UNITWALL® SYSTEM 7-1/2" Deep SSG / 8-1/4" Deep Captured (1-3/4" infill)- GLASSvent® UT Window Details (4-side Captured Only)




① HEAD PO - 1-3/4" INFILL
6" = 1'-0"




② HEAD COS - 1-3/4" INFILL
6" = 1'-0"




③ SILL - 1-3/4" INFILL
6" = 1'-0"




④ LEFT JAMB PO - 1-3/4" INFILL
6" = 1'-0"



⑤ LEFT JAMB COS - 1-3/4" INFILL
6" = 1'-0"



⑥ RIGHT JAMB PO - 1-3/4" INFILL
6" = 1'-0"



⑦ RIGHT JAMB COS - 1-3/4" INFILL
6" = 1'-0"

KAWNEER AN ARCONIC COMPANY

555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555

KAWNEER
AN ARCONIC COMPANY