
© 2013, Kawneer Company, Inc.

EC 97911-281 FEATURES - STOREFRONT



Features

- · Standard designs
- Screw Spline assembly
- Used with Trifab® VersaGlaze® 451/451T
 - Shear Block 2" vertical mullion, center glazed
- Used with Trifab® VersaGlaze® 451/451T/451UT/601/601T/601UT
 - Screw Spline 2-1/4" vertical mullion, center glazed
- · Helps reduce building energy consumption
- Permanodic® anodized finishes option
- · Painted finishes in standard and custom choices
- Shading performance can be analyzed by Solector® Sun Shading Estimator Tool

For specific product applications, consult your Kawneer representative.



BLANK PAGE

EC 97911-281

Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.



Versoleil® SunShade - Outrigger System

07 11 107 11 11, 2020

EC 97911-281

INDEX - STOREFRONT

and building and safety codes governing the design and use of Kawneer tits, such as glazed entrance, window, and cutrain wall products, vary wide ser does not control the selection of product configurations, operating are, or clazing materials, and assumes no responsibility therefor. **Architects** - Most extrusions illustrated in this catalog are standard products for Kawneer. These concepts have been expanded and modified to afford you design freedom. Some miscellaneous details are non-standard and are intended to demonstrate how the system can be modified to expand design flexibility. Please contact your Kawneer representative for further assistance.

TRIFAB® VG 451/451T FRAMING	
- Shear Block Assembly	4
TRIFAB® VG 451/451T/451UT FRAMING	
- Screw Spline Assembly	5
TRIFAB® 601/601T/601UT FRAMING	
- Screw Spline Assembly	6
SUNSHADE COMBINATIONS	7, 8
DESIGN GUIDELINES	9

Metric (SI) conversion figures are included throughout these details for reference. Numbers in parentheses () are millimeters unless otherwise noted.

The following metric (SI) units are found in these details:

m - meter

cm - centimeter

mm - millimeter

s - second

Pa – pascal


MPa - megapascal



EC 97911-281


NOTE: For standard storefront applications the outrigger is limited to 30". Details shown with 30" square outrigger, arch blade and rectangular fascia.

TRIFAB® VERSAGLAZE® 451/451T FRAMING - SHEAR BLOCK ASSEMBLY




NOTE:


Horizontal SunShades are not recommended directly over entrances and walkways to eliminate any risk of injury due to falling ice or snow.




JAMB (TF VG 451 SIMILAR)



451T VERTICAL



451 VERTICAL



HEAD ANCHOR FOR SHEAR BLOCK FRAMING


Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.



TRIFAB® VERSAGLAZE® 451/451T/451UT FRAMING - SCREW SPLINE ASSEMBLY


EC 97911-281

NOTE: For standard storefront applications the outrigger is limited to 30". Details shown with 30" square outrigger, arch blade and rectangular fascia.



NOTE:

Horizontal SunShades are not recommended directly over entrances and walkways to eliminate any risk of injury due to falling ice or snow.






nd building and safety codes governing the design and use of Kawneer s, such as glazed entrance, window, and curtain wall products, vary widely, ar does not control the selection of product configurations, operating


© 2013, Kawneer Company, Inc.

NOTE: For standard storefront applications the outrigger is limited to 30". Details shown with 30" square outrigger, arch blade and rectangular fascia.



NOTE:

Horizontal SunShades are not recommended directly over entrances and walkways to eliminate any risk of injury due to falling ice or snow.





Laws and building and safety codes governing the design and use of Kawneer products, such as glazade antennoe, window, and outrain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.

STANDARD OUTRIGGERS	STANDARD FASCIAS	STANDARD BLADES
30" SQUARE	RECTANGULAR	INFINITY FLARE
		ARCH CIRCULAR
30" ROUNDED	BULLNOSE	AIRFOIL DIAMOND
		PLANAR SQUARE
		WAVE
30" WEDGE	ANGULAR	CIRCULAR
30" CURVED	CIRCULAR	CIRCULAR SQUARE
		DIAMOND

OUTRIGGER / FASCIA / BLADE COMBINATIONS - STOREFRONT

EC 97911-281

30" SQUARE OUTRIGGER	INFINITY PLANAR CIRCULAR	ARCH WAVE DIAMOND	AIRFOIL FLARE SQUARE
30" ROUNDED OUTRIGGER	INFINITY PLANAR CIRCULAR	ARCH WAVE DIAMOND	AIRFOIL FLARE SQUARE
30" CURVED OUTRIGGER	DIAMOND SQUARE CIRCULAR		
30" WEDGE OUTRIGGER	CIRCULAR		

Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.



DESIGN GUIDELINES - STOREFRONT

© 2013, Kawneer Company, Inc.

PRODUCT NOTES:

- 1. Maximum outrigger projection for storefront framing should not exceed 30".
- 2. Anchors are painted only, and can be painted to match anodized finishes. Louvers and fascias can be painted or anodized.
- 3. Standard outriggers, louvers and fascias can be mixed and matched at the designers choosing.
- 4. Some modification or customization of standard components can be accommodated. Please contact your Kawneer Representative for assistance.
- Due to the wide variety of building codes, load restrictions, and deflection criteria, the use of SunShades on storefront should be analyzed and approved by Kawneer Application Engineers on a project specific basis.
- 6. If Versoleil® SunShade does not meet your aesthetic or performance needs, please contact your Kawneer Representative for assistance in designing a custom sunshade.



10

BLANK PAGE

EC 97911-281

Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

